ταλαντα

talanta

Volume Contents/Author Index/ Subject Index

Volume 44, 1997

ELSEVIER

LIST OF CONTENTS

January

Review
Microcells for voltammetry and stripping voltammetry
Ya.I. Tur'yan (Jerusalem, Israel) 1

Silica-immobilized formylsalicylic acid as a selective phase for the extraction of iron (III)
M.E. Mahmoud (Alexandria, Egypt), E.M. Soliman (El-Minia, Egypt) 15
Determination of nickel by direct automatic potentiometric titration with EDTA and a chemically modified electrode based on a strong acid ion exchanger containing 4-(3,5-dichloro-2-pyridylazo)-1,3-diaminobenzene
P.S. González, C.A. Fontán and V.A. Cortínez, (San Luis, Argentina) 23
Application of SQUAD to the refinement of formal potentials from coulometric steady-state and spectrophotometric measurements
Ma. Teresa Ramírez, A. Rojas-Hernández and I. González (México, D.F. Mexico) 31
Direct determination of cadmium in solids using a capacitively coupled microwave plasma atomic emission spectrometer
A.M. Pless, A. Croslyn, M.J. Gordon, B.W. Smith and J.D. Winefordner (Gainesville, FL, USA) 39
Line selection and interference correction for the analysis of tungsten alloy by inductively coupled plasma atomic emission spectrometry
Z.U. Bae and S.H. Lee, (Taegu, South Korea) and S.H. Lee (Kyungpook, South Korea) 47
Ion-association method for the spectrophotometric determination of the antitussive drug noscapine
B. Saad, S.M. Sultan and F.E.O. Suliman (Dhahran, Saudi Arabia) 53
Selective spectrophotometric determination of *p*-aminophenol and acetaminophen
F.A. Mohamed (Assiut, Egypt), M.A. AbdAllah and S.M. Shammat (Riyadh, Saudi Arabia) 61
Lability of heavy metal species in aquatic humic substances characterized by ion exchange with cellulose phosphate
J.C. Rocha, I.A.S. Toscano (Araraquara, SP, Brazil) and P. Burba (Dortmund, Germany). 69
Spectrophotometric determination of lithium with Quinizarin in drugs and serum
L.G. Gracia, L.C. Rodríguez and M.R. Ceba (Granada, Spain) 75
Complexing influence of cobalt and nickel ions on the electrochemical reduction of pterin and related compounds at a mercury drop
U. Kucharska (Lodz, Poland) 85
Mixed-ligand chelate extraction of trivalent lanthanides with 4,4,4-trifluoro-1-phenyl-1,3-butanedione and neutral oxo-donors
M.L.P. Reddy, S. Sujatha, R. Luxmi Varma, T.R. Ramamohan, T.P. Rao, C.S.P. Iyer and A.D. Damodaran (Trivandrum, India) 97
Simultaneous determination of Amaranth and Sunset Yellow by ratio derivative voltammetry
Y. Ni and J. Bai (Nanchang, China) 105
Control samples for the determination of pH in low ionic strength waters: consensus values from interlaboratory tests
M.J. Gardner, J.E. Ravenscroft (Marlow, UK) and C. Ackers (Stirling, UK). 111

Short communications
Spectrophotometric determination of total procyanidins in wine vinegars
M. Carmen García-Parrilla, F.J. Heredia, A.M. Troncoso and A. Gustavo González (Seville, Spain) . . . 119
Cathodic stripping voltammetry of copper-complexed reactive dyes at a hanging mercury drop electrode: Reactive Violet 5
A.G. Fogg, A. Rahim H.M. Yusoff (Leicestershire, UK) and R. Ahmad (Johor Bahru, Malaysia) 125
Determination of L-phenylalanine in serum by flow-injection analysis using immobilized phenylalanine dehydrogenase and fluorimetric detection
N. Kiba, A. Itagaki and M. Furusawa (Kofu, Japan) 131

Announcement 135

February

Review
Solubility of chelating agents and metal-containing compounds in supercritical fluid carbon dioxide
N.G. Smart (Preston, UK; Moscow, ID, USA), T. Carleson, T. Kast (Moscow, ID, USA), A.A. Clifford, M.D. Burford (Leeds, UK) and C.M. Wai (Moscow, ID, USA) 137
Spectrophotometric determination of a nanomolar amount of ascorbic acid using its catalytic effect on copper(II) porphyrin formation
M. Tabata and H. Morita (Saga, Japan) 151
Second-derivative UV spectrophotometric assay for determining the degradation kinetics of 3-bromo-*N*-bromo-*N*-(3,4-dimethyl-5-isoxazolyl-4-amine)-1,2-napthoquinone
V.G. Dabbene, M.C. Briñón and M.M. de Bertorello (Córdoba, Argentina) 159
Spectrophotometric and inductively coupled plasma atomic emission spectrometric determination of titanium in ilmenites after rapid dissolution with phosphoric acid
J.B. de Andrade, G.S. Nunes, M.P. Veiga, A.C. Spinola Costa, S.L.C. Ferreira, A.M.M. Amorim and S.T. Reis (Salvador, Brazil) 165
Determination of trace impurities in uranium, thorium and plutonium matrices by solvent extraction and inductively coupled plasma atomic emission spectrometry
M. Gopalkrishnan, K. Radhakrishnan, P.S. Dhami, V.T. Kulkarni, M.V. Joshi, A.B. Patwardhan, A. Ramanujam and J.N. Mathur (Bombay, India) 169
Spectrophotometric determination of iron(III) dimethyldithiocarbamate (ferbam)
A.K. Malik (Jalandhar, India) and A.L.J. Rao (Patiala, India) 177
Simultaneous determination of trace amounts of zinc, lead and copper in rum by anodic stripping voltammetry
P.J.S. Barbeira (São Carlos, SP, Brazil) and N.R. Stradiotto (Ribeirão Preto, SP, Brazil). 185
Development of reference materials for the analysis of acid-extractable metals in sludge
S.J. Nagourney, N.J. Tummillo, Jr., J. Birri, K. Peist and J.S. Kane (Trenton, NJ, USA) 189
Spectrofluorimetric determination of trace amounts of aluminium with 5-bromo-salicylaldehyde salicyloylhydrazone
C. Jiang, B. Tang, R. Wang and J. Yen (Shandong, People's Republic of China) 197
Quantitative structure-property relationships for colour reagents and their colour reactions with cerium using computational neural networks
H. Li, L. Xu, M. Guo and Q. Su (Changchun, People's Republic of China) 203
Surface-enhanced Raman spectrometry of triamterene on a silver substrate prepared by the nitric acid etching method
A. Rupérez and J.J. Laserna (Málaga, Spain) 213

Investigation of HfO^+ interference in the determination of platinum in a catalytic converter (cordierite) by inductively coupled plasma mass spectrometry
M. Parent, H. Vanhoe, L. Moens and R. Dams (Ghent, Belgium) 221
Collection of trace heavy metals complexed with ammonium pyrrolidinedithiocarbamate on surfactant-coated alumina sorbents
M. Hiraide, J. Iwasawa and H. Kawaguchi (Nagoya, Japan) 231
Amperometric detection of amines using cobalt electrodes after separation by ion-moderated partition chromatography
A. Hidayat, D.B. Hibbert (Sydney, Australia) and P.W. Alexander (Tasmania, Australia) 239
Spectrophotometric determination of vitamin E (α-tocopherol) using copper(II)–neocuproine reagent
E. Tütem, R. Apak, E. Günaydı and K. Sözgen (Istanbul, Turkey) 249
Effects of cetylpyridinium bromide micelles on the spectrofluorimetric characteristics of polycyclic aromatic hydrocarbons
J.H. Ayala, A.M. Afonso and V. González (La Laguna, Spain) 257
Flame atomic absorption spectrometric determination of copper, zinc, calcium, magnesium and iron in fresh eggs using microvolume infection
S. Shang and W. Hong (Baoding, People's Republic of China) 269
Thermodynaimc study of complex formation between 18-crown-6 and potassium ion in some binary non-aqueous solvents using a conductometric method
G. Rounaghi (Mashhad, Iran), Z. Eshaghi and E. Ghiamati (Birjand, Iran) 275
Spectrophotometric determination of uranium in process streams of a uranium extraction plant
B. Narasimha Murty, Y.V.S. Jagannath, R.B. Yadav, C.K. Ramamurty and S. Syamsundar (Hyderabad, India) 283

Short communication
A selective catalytic voltammetric determination of vitamin C in pharmaceutical preparations and complex matrices of fresh fruit juices
M.H. Pournaghi-Azar and R. Ojani (Tabriz, Iran) 297

March

Cathodic stripping voltammetry of the anticancer agent 5-fluorouracil and determination in urine
M. Khodari, M. Ghandour and A.M. Taha (Qena, Assiut, Egypt) 305
A rapid, selective and sensitive spectrophotometric method for the determination of Ce(III) using some bisazophenyl-β-diketone derivatives
A.S. Amin, M.M. Moustafa and R.M. Issa (Behna, Tanta, Egypt) 311
Determination of nanogram levels of zirconium by chelating ion exchange and on-line preconcentration in flow injection UV-visible spectrophotometry
R. Purohit and Surekha Devi (Baroda, India) 319
Extraction equilibria of some transition metal ions by bis(2-ethylhexyl)phosphinic acid
Y. Nagaosa and Y. Binghua (Bunkyo, Fukui, Japan) 327
Amperometric biosensor for ethanol based on immobilization of alcohol dehydrogenase on a nickel hexacyanoferrate modified microband gold electrode
C.-X. Cai, K.-H. Xue, Y.-M. Zhou and H. Yang (Nanjing, People's Republic of China) 339
Evaluation of perchlorate tolerant photo-cured calcium selective electrodes for use in flow injection potentiometry
L.T. Di Benedetto, T. Dimitrakopoulos (Launceston, Tas., Australia), J.R. Farrell and P.J. Iles (Bundoora, Australia) 349

Biotin ligands labeled with daunomycin as an electrochemical probe for avidin and biotin interaction
S. Tanaka, F. Yamamoto, K. Sugarwara and H. Nakumura (Sapporo, Japan) 357
Extractive separation of trivalent lanthanide metals with a combination of Di(2-ethylhexyl)phosphoric acid and 1,10-phenanthroline
M.H. Zahir and Y. Masuda (Kobe, Japan) 365
Comparison of different methods for the determination of volatile organic compounds in water samples
R.A. Ketola, V.T. Virkki, M. Ojala, V. Komppa and T. Kotiaho (VTT, Finland) 373
Miniaturized protein microsequencer with PTH amino acid identification by capillary electrophoresis: I. An argon pressurized delivery system for adsorptive and covalent sequencing
K.C. Waldron, X.-F. Li, M. Chen, I. Ireland, D. Lewis, M. Carpenter and N.J. Dovichi (Edmonton, Alta., Canada) 383
Miniaturized protein microsequencer with PTH amino acid identification by capillary electrophoresis : II. A syringe-pump-based system for covalent sequencing
X.-F. Li, K.C. Waldron, J. Black, D. Lewis, I. Ireland and N.J. Dovichi (Alta., Canada) 401
Spectroscopic properties of polycyclic aromatic compounds: Part 6. The nitromethane selective quenching rule visited in aqueous micellar zwitterionic surfactant solvent media
S. Pandey, W.E. Acree (Texas, USA), B.P. Cho (Rhode Island, USA) and J.C. Fetzer (California, USA) . 413
Ultratrace determination of europium in high-purity lanthanum, praseodymium and dysprosium oxides by luminescence spectrometry
N. Mahalakshmi Sita, T. Prasada Rao, C.S.P. Iyer and A.D. Damodaran (Trivandrum, India) 423
Characterization of associates in ternary mixtures of amines, diprotic acid dyes and quaternary ammonium compounds in dichloromethane and in dichloromethane/water systems
A.H. Gainza (Granada, Spain) 427
Determination of trace amounts of carbaryl in water by solid-phase laser-induced fluorescence
M. del Olmo (Granada, Spain), J. Laserna, D. Romero (Málaga, Spain), J. Rohand and J.L. Vilchez (Granada, Spain) 443
Flame atomic absorption spectrometric determination of zinc after colloid precipitate flotation with hydrated iron(III) oxide and iron(III) tetramethylenedithiocarbamate as collectors
K. Čundeva and T. Stafilov (Skopje, Macedonia) 451
The study of complex equilibria of uranium(VI) with selenate
P. Lubal and J. Havel (Brno, Czech Republic) 457
Square wave adsorptive voltammetric determination of sunset yellow
J.J. Berzas Nevado, J. Rodríguez Flores and M.J. Villaseñor LLerena (Ciudad Real, Spain) 467
Inhibition of the enzyme phosphoenolpyruvate-carboxylase (PEPC) by different pollutants
K. Stein and G. Ohlenbusch (Clausthal-Zellerfeld, Germany) 475

Short communications
Detection and semiquantitative determination of bismuth(III) in water on immobilized and plasticized polyurethane foams with some chromogenic reagents
M.S. El-Shahawi and R.S. Al-Mehrezi (Al-Ain, Ulnited Arab Emirates) 483
Cathodic stripping voltammetric determination of 2-mercaptobenzothiazole using the catalytic cobalt peak
A.G. Fogg, R. Ismail (Leicestershire, UK), R. Ahmad (Johor Bahru, Malaysia) and F.G. Banica (Leicestershire, UK) 491
Cathodic stripping voltammetric determination at a hanging mercury drop electrode of the environmental heavy metal precipitant trimercapto-*s*-triazine (TMT)
A.G. Fogg, R. Ismail, A.R.H.M. Yusoff (Loughborough, Leicestershire, UK), R. Ahmad (Johor Bahru, Malaysia) and F.G. Banica (Loughborough, Leicestershire, UK) 497

Book reviews 501

Announcements 505

April

Properties and analytical application of room temperature phosphorescence of 1-bromonaphthalene induced by *p*-octylpolyethylene glycol phenylether in aqueous β-cyclodextrin solution
X. Du, Y. Zhan, Y. Jiang, X. Huang and G. Chen (Xiamen, People's Republic of China) 511
Assay of cisapride in pharmaceutical formulations by extraction spectrophotometry
C.S.P. Sastry, Y. Srinivas and P.V. Subba Rao (Visakhapatnam, India) 517
Formation and dissociation kinetics of triaza-crown-alkanoic acid complexes of transition metal(II) and lanthanide (III)
K.-Y. Choi (Taejeon, South Korea), D. Won Kim, C. Suk Kim (Cheongju, South Korea), C. Pyo Hong, H. Ryu (Kongju, South Korea) and Y.-I. Lee (Nonsan, South Korea) 527
Determination of halides by microwave induced plasma and stabilized capacitive plasma atomic emission spectrometry after on-line continuous halogen generation
J.F. Camuña, M. Montes, R. Pereiro, A. Sanz-Medel (Oviedo, Spain), C. Katschthaler, R. Gross and G. Knapp (Graz, Austria) 535
Flow injection spectrophotometric determination of cyanide by the phenolphthalin method
A.T. Haj-Hussein (Irbid, Jordan) 545
Preconcentration and atomic absorption determination of iron by sequential injection analysis
E. Rubí (Santiago de Compostela, Spain), M.S. Jiménez (Zaragoza, Spain), F. Bauzá de Mirabó, R. Forteza and V. Cerdà (Palma de Mallorca, Spain) 553
Solvent extraction separation of iron(III) and aluminium(III) from other elements with Cyanex 302
H.S. Ajgaonkar and P.M. Dhadke (Bombay, India) 563
Simultaneous determination of platinum(II) and palladium(II) by reversed phase high-performance liquid chromatography with spectrophotometric detection after collection on and elution from resin coated with dimethylglyoxal bis(4-phenyl-3-thisomicarbazone)
S. Hoshi, K. Higashihara, M. Suzuki, Y. Sakurada, K. Sugawara, M. Uto and K. Akatsuka (Kitami, Japan) 571
Determination of thiosulfate at the 10^{-6} M level by its oxidation with iodine in an organic phase and spectrophometric measurement of triiodide
T. Koh, T. Sugimoto, M. Matsui and Y. Miura (Hiratsuka, Japan) 577
Second-order data by flow injection analysis with spectrophotometric diode-array detection and incorporated gel-filtration chromatographic column
I.E. Bechmann (Lyngby, Denmark) 585
Porphyrins as ligands for trace metal analysis by high-performance liquid chromatography
Z. Shi and C. Fu (Baoding, People's Republic of China) 593
Renewable liquid film-based electrochemical sensor for gaseous hydroperoxides
H. Huang and P.K. Dasgupta (Lubbock, TX, USA) 605
The ionic product of water in concentrated tetramethylammonium chloride solutions
P. Sipos, I. Bódi, P.M. May and G.T. Hefter (Murdoch, WA, Australia) 617
Determination of trace amounts of dipyridamole by stripping voltammetry using a Nafion modified electrode
Z. Wang, H. Zhang and S. Zhou (Xinxiang, China) 621
Estimation of cephalosporin antibiotics by differential pulse polarography
G.V. Subba Reddy and S. Jayarama Reddy (Tirupati, India) 627
Rapid and accurate determination of chlorpheniramine maleate, noscapine hydrochloride and guaiphenesin in binary mixtures by derivative spectrophotometry
N.B. Pappano, Y.C. De Micalizzi, N.B. Debattista and F.H. Ferretti (San Luis, Argentina) 633
Rapid determination of ribonuclease and microanalysis of heparin with a SAW/conductance sensor
R. Wang, Q. Cai, W. Wei, L. Nie, S. Yao, C. Liu and T. Jiang (Changsha, China) 641
Gas chromatography–mass spectrometric determination of fthalide and heptachlor epoxide in environmental samples
T. Okumura, Y. Nishikawa, H. Yamamoto and H. Konishi (Osaka City, Japan) 649

Separation study of cadmium through an emulsion liquid membrane
Q. Li, Q. Liu (Xinxiang, People's Republic of China), K. Li and S. Tong (Beijing, People's Republic of China) 657
Development and application of new ion-exchange techniques for the separation of the platinum group and other siderophile elements from geological samples
M. Rehkämper and A.N. Halliday (Ann Arbor, MI, USA) 663
Comparative study of the zero-crossing, ratio spectra derivative and partial least-squares methods applied to the simultaneous determination of atrazine and its degradation product desethylatrazin-2-hydroxy in ground waters
R. Corbella Tena, M.A.R. Delgado, M.J. Sanchez and F. Garcia Montelongo (La Laguna, Spain) 673
Preparation of a polypyrrole electrode modified with a nickel phthalocyanine complex. Application to the determination of an antioxidant (propylgallate) in foods
C. de la Fuente, J.A. Acuña, M.D. Vázquez, M.L. Tascón (Valladolid, Spain), M.I. Gómez (Madrid, Spain) and P. Sánchez Batanero (Valladolid, Spain) 685
Development of highly sensitive cadmium ion-selective electrodes by titration method and its application to cadmium ion determination in industrial waste water
S. Ito (Tokyo, Nagoya, Japan), Y. Asano (Tokyo, Japan) and H. Wada (Nagoya, Japan) 697
Ambient temperature oxygen sensors based on fluoride solid electrolyte: the roles of the constituents in the sensing electrode mixtures containing phthalocyanines
J. Kuwano, T. Eguchi and Y. Saito (Tokyo, Japan) 705
Application of sequential injection analysis to anodic stripping voltammetry
A. Ivaska (Turku-Åbo, Finland) and W.W. Kubiak (Krakow, Poland) 713

May

Announcement 725

Construction and evaluation of a novel In (III) liquid ion-selective membrane electrode
C. Li (Guiyang, People's Republic of China) and J.-G. Hou (Lanzhou, People's Republic of China) 729
Anodic stripping voltammetry with carbon paste electrodes for rapid Ag(I) and Cu(II) determinations
C. Labar and L. Lamberts (Bruxelles, Belgium) 733
Reversed-phase ion-pair high performance liquid chromatographic determination of Co(III)-, Ni(II)-, V(V)- and Fe(III)-2-(2-benzothiazolylazo)-5-(3-sulforpropyl)aminophenol chelates
Z.-L. Ma, Y.-P. Wang, C.-X. Wang, F.-Z. Miao and W.-X. Ma (Shijiazhuang, China) 743
Analytical applications of graphite electrode modified with Bis(diisopropyloxithiophosphon)Disulphide
Z.I. Denchev, N.K. Nikolov (Plovdiv, Bulgaria) and L. Ilcheva (Sofia, Bulgaria) 749
Solubility of metal chelates and their extraction from an aqueous environment via supercritical CO_2
M. Ashraf-Khorassani, M.T. Combs and L.T. Taylor (Blacksburg, VA, USA) 755
Catalytic flow-injection determination of copper at nanogram levels by using color formation of *N*-phenyl-*p*-phenylenediamine with *m*-phenylenediamine in the presence of pyridine and ammonia as activators
S. Nakano, K. Nakaso, K. Noguchi (Tottori, Japan) and T. Kawashima (Tsukuba, Japan) 765
Simplex optimisation of conditions for the determination of antimony in environmental samples by using electrothermal atomic absorption spectrometry
I. Koch, C.F. Harrington (Vancouver, British Columbia, Canada), K.J. Reimer (Kingston, Ontario, Canada) and W.R. Cullen (Vancouver, British Columbia, Canada) 771
Europium complexation by an aquatic fulvic acid - effects of competing ions
M. Nordén, J.H. Ephraim and B. Allard (Linköping, Sweden) 781

Complexometric determination of some toxic mixtures of ions using bromo-cresol orange with visual endpoint indication
M.A.H. Hafez and M.E. Khalifa (El-Mansoura, Egypt) 787
The stabilization of manganese(III) by azide ions in aqueous solution
H. Dorigan Moya (São Paulo, Brazil), E. Almeida Neves (São Carlos, Brazil) and N. Coichev (São Paulo, Brazil) 797
The role of selected cations in the formation of pseudomicelles in aqueous humic acid
R. von Wandruszka, C. Ragle and R. Engebretson (Idaho, ID, USA). 805
Zirconium and hafnium determination by energy dispersive X-ray fluorescence with solid phase preconcentration
P. Peralta-Zamora, L. Cornejo-Ponce, M.I.M.S. Bueno and J.W. Martins (Campinas-SP, Brazil) 811
Determination of tin in canned foods by UV/visible spectrophotometric technique using mixed surfactants
X. Huang, W. Zhang, S. Han and X. Wang (Jinan, People's Republic of China) 817
Differential pulse voltammetric enzyme-linked immunoassay for the determination of *Helicobacter pylori* specific immunoglobulin G (IgG) antibody
Y.-n. He, H.-y. Chen, J.-j. Zheng, G.-y. Zhang and Z.-L. Chen (Nanjing, People's Republic of China) . . 823
Direct electrochemical redox of tyrosinase at silver electrodes
B. Ye and X. Zhou (Wuhan, People's Republic of China). 831
Spectrophotometric determination of palladium after solid–liquid extraction with 1-(2-Pyridylazo)-2-naphthol at 90°C
J. Gao, B. Peng, H. Fan, J. Kang and X. Wang (Lanzhou, People's Republic of China). 837
Extraction and separation of mercury(II) using triisobutyl phosphine sulfide (TIBPS/Cyanex 471X) as an extractant and its application to industrial effluent
R. Singh and S.N. Tandon (Roorkee, India). 843
Consecutive thin-layer chromatographic separation of Zr(IV), Hf(IV) and many other ions on silica gel in nitric acid–hydrogen peroxide media
Y. Takeda and K. Ishida (Kanagawa, Japan) 849
Fluorescent reaction between ascorbic acid and DAN and its analytical application
J. Yang (Jinan, China), C. Tong (China), N. Jie, G. Zhang, X. Ren and J. Hu (Jinan, China) 855
Amperometric biosensor with physically immobilized glucose oxidase on a PVA cryogel membrane
L. Doretti, D. Ferrara, P. Gattolin (Padova, Italy) and S. Lora (Legnaro (Padova), Italy) 859
Flow injection determination of Pb and Cd traces with graphite furnace atomic absorption spectrometry
M. Colognesi, O. Abollino, M. Aceto, C. Sarzanini and E. Mentasti (Turin, Italy) 867
Separation and preconcentration of iron(II) and iron(III) from natural water on a melamine-formaldehyde resin
H. Filik (Avcılar, Istanbul, Turkey), B.D. Öztürk (Maslak, Istanbul, Turkey), M. Doğutan (Avcılar, Istanbul, Turkey), G. Gümüş (Maslak, Istanbul, Turkey) and R. Apak (Avcılar, Istanbul, Turkey) 877
Self-assembled biotinylated disulfide derivative monolayer on gold electrode for immobilizing enzymes
P. He, J. Ye, Y. Fang (Shanghai, People's Republic of China), J. Anzai and T. Osa (Sendai, Japan). . . . 885
Potentiometric study of the protonation equilibrium of Tris(Hydroxymethyl) aminomethane in aqueous sodium perchlorate solutions at 25°C: construction of a thermodynamic model
R. Gil, M.S. Corbillón, M.A. Olazabal and J.M. Madariaga (Euskal Herriko Unibertsitatea, Spain) 891
Divalent cations speciation with three phosphonate ligands in the pH-range of natural waters
V. Deluchat, J.-C. Bollinger, B. Serpaud and C. Caullet (Limoges, France). 897
Comparative voltammetric studies of immunoglobulins and DNP-labelled immunoglobulins
M.D. Sánchez-Suárez and A. Costa-García (Asturias, Spain) 909
Differential derivative spectrophotometric determination of phenobarbitone and phenytoin sodium in combined tablet preparations
C.V.N. Prasad, A. Gautam, V. Bharadwaj and P. Parimoo (Pilani, India) 917
A linear regression method for the study of the Coomassie brilliant blue protein assay
Y.-j. Wei, K.-a. Li and S.-y. Tong (Beijing, People's Republic of China) 923
Voltammetric study of ketorolac and its differential pulse polarographic determination in pharmaceuticals
J.C. Sturm, H. Canelo, L.J. Nuñez-Vergara and J.A. Squella (Santiago, Chile). 931

Dialysis membrane to prevent cadmium ion specific electrode fouling
S.J. Fish and P. Brassard (Hamilton, Ontario, Canada) 939

Short communication
Use of dichloromethane with dithizone as an alternative solvent to carbon tetrachloride restricted by Montreal Protocol
A.M. Kiwan (Al-Ain, United Arab Emirates) 947

June

Cyclodextrin enhanced fluorimetric determination of malonaldehyde by the thiobarbituric acid method
S.E. Castrejón and A.K. Yatsimirsky (México D.F., México) 951
Kinetic determination of organic vapor mixtures with single piezoelectric quartz crystal sensor using artificial neural networks
W.-L. Xing and X.-W. He (Tianjin, People's Republic of China) 959
An automatic back titration method for microchemical analysis
A. Tan and C. Xiao (Changsha, People's Republic of China) 967
Sol-gel based amperometric biosensor incorporating an osmium redox polymer as mediator for detection of L-lactate
T.-M. Park (Dublin, Ireland; Suncheon, South Korea), E.I. Iwuoha, M.R. Smyth, R. Freaney and A.J. McShane (Dublin, Ireland) 973
Flotation-spectrophotometric determination of trace of germanium with isochromatic dye ion-pairs formed by rhodamine 6G and tetrabromofluorescein
Z. Xingru, L. Shuxuan and Z. Bencheng (Baoding, People's Republic of China) 979
Analysis of polyaromatic quinones in a complex environmental matrix using gas chromatography ion trap tandem mass spectrometry
A.A. Mosi (Vancouver, British Columbia, Canada), K.J. Reimer (Kingston, Ontario, Canada) and G.K. Eigendorf (Vancouver, British Columbia, Canada) 985
Determination of tributyltin in toluene extract from sea water by graphite furnace atomic absorption spectrometry with a new matrix modifier
B. Gong, Y. Liu, Y. Xu and T. Lin (Dalian, People's Republic of China) 1003
Flow injection analysis of sulphite by gas-phase molecular absorption UV/VIS spectrophotometry
A. Safavi and B. Haghighi (Shiraz, Iran) 1009
Determination of trace amounts of some metals in samples with high salt content by atomic absorption spectrometry after cobalt-diethyldithiocarbamate coprecipitation
L. Elçi, U. Şahin and S. Öztaş (Kayseri, Turkey) 1017
Particle beam-mass spectrometric analysis of difluorophenyl triazole compounds using normal phase-HPLC
C.S. Creaser, J.W. Stygall (Nottingham, UK), D.V. Bowen and F.S. Pullen (Kent, UK) 1025
Equilibrium and kinetic properties of a fast iminodiacetate based chelating ion exchanger and its incorporation in a FIA-ICP-AES system
P. Hashemi and Å. Olin (Uppsala, Sweden) 1037
Sorptive behavior of Zn(II) on a lake sediment by sequential extraction-radiotracer technique
R. Fujiyoshi, T. Gomei and S. Sawamura (Sapporo, Japan) 1055
Study of the selective extraction of iron (III) by silica-immobilized 5-Formyl-3-Arylazo-salicylic acid derivatives
M.E. Mahmoud (Ibrahimia, Alexandria, Egypt) and E.M. Soliman (El-Minia, Egypt) 1063
Synergistic enhancement of the horseradish peroxidase-catalyzed oxidation of luminol by 4-substituted phenylboronic acids
L.J. Kricka and X. Ji (Philadelphia, PA, USA) 1073

Determination of aluminium in tree samples by cathodic adsorptive stripping voltammetry
J. Opydo (Poznań, Poland) 1081
A novel potassium ion membrane sensor based on rifamycin neutral ionophore
S.S.M. Hassan, W.H. Mahmoud and A.H.M. Othman (Cairo, Egypt) 1087
Cold dissolution method for the determination of uranium in various geological materials at trace levels by laser fluorimetry
K. Ramdoss, B. Gomathy Amma, V. Umashankar and R. Rangaswamy (Bangalore, India) 1095
Fluorometric fiber optic drop sensor for atmospheric hydrogen sulfide
A.A. Cardoso, H. Liu and P.K. Dasgupta (Lubbock, TX, USA) 1099
Investigation of conductometric humidity sensors
J. Barkauskas (Vilnius, Lithuania) 1107
The reaction of glutamic acid and trinitrobenzenesulfonic acid—kinetic study and analytical application
E.R. Kiranas, S.M. Tzouwara-Karayanni and M.I. Karayannis (Ioannina, Greece) 1113
Specific extraction behavior of amide derivative of calix[4]arene for silver (I) and gold (III) ions from highly acidic chloride media
K. Ohto, H. Yamaga, E. Murakami and K. Inoue (Saga, Japan) 1123
Lead-selective poly(vinyl chloride) membrane electrodes based on acyclic dibenzopolyether diamides
A. Ohki (Kagoshima, Japan), J.S. Kim (Nonsan, South Korea), Y. Suzuki (Kagoshima, Japan), T. Hayashita (Saga, Japan) and S. Maeda (Kagoshima, Japan) 1131

Short communication
On the feasibility of using molecularly imprinted poly (Hema) as a sensor component
K. Sreenivasan (Trivandrum, India) 1137

July

Determination of trace thiocyanate in body fluids by a kinetic fluorimetric method
G. Zhang, B. Li, J. Fan and S. Feng (Henan, People's Republic of China) 1141
Equilibrium studies of organotin(IV) complexes with vitamin B_6
M.M. Shoukry, E.M. Khairy and M.M.A. Mohamed (Cairo, Egypt) 1149
Determination of hafnium in air dust filters by inductively coupled plasma atomic emission spectrometry
A. Hulanicki, J. Surgiewicz and I. Jaron (Warsaw, Poland) 1159
Determination of butyl- and phenyltin compounds in sediments by GC-FPD after $NaBEt_4$ ethylation
C. Carlier-Pinasseau, G. Lespes and M. Astruc (Pau, France) 1163
Utility of diphenylamine and *N*-bromosuccinimide for colorimetric determination of certain phenothiazine drugs
A.E.-M.I. Mohamed (Assiut, Egypt) 1173
Analyte stabilization by electrodeposited palladium modifier for electrothermal atomic absorption spectrometry: characterization by scanning electron microscopy and anodic stripping voltammetry
J.P. Matousek (Sydney, Australia) and H.K.J. Powell (Christchurch, New Zealand) 1183
Ion paired chromatography of iron (II,III), nickel (II) and copper (II) as their 4,7-Diphenyl-1,10-phenanthroline chelates
N. Mudasir (Kohoku-ku, Yokohama, Japan; Yogyakarta, Indonesia), N. Yoshioka and H. Inoue (Kohoku-ku, Yokohama, Japan) 1195
Micellar enhanced cyanide ion determination in samples from synthetic organic processes
J.O. Egekeze, T.M. Dowling, N. Grinberg, H.J. Perpall and G.R. Bicker (Rahway, NJ, USA) 1203
Spectrophotometric methods for the determination of omeprazole in bulk form and pharmaceutical formulations
C.S.P. Sastry, P.Y. Naidu and S.S.N. Murty (Visakhapatnam, India) 1211

Determination of mercury in urine by ET-AAS using complexation with dithizone and extraction with cyclohexane
C. Burrini and A. Cagnini (Firenze, Italy) 1219
Kinetic spectrophotometric determination of traces of sulfide
A. Safavi and Z. Ramezani (Shiraz, Iran) 1225
The effect of pulsed amperometric detection on penicillin G concentration profiles in a flowing-stream environment
M.W. Lehmann, M.R. Fahr and L.E. Welch (Galesburg, Illinois, USA) 1231
Simplex optimisation of conditions for the determination of antimony in environmental samples by using electrothermal atomic absorption spectrometry
I. Koch, C.F. Harrington (British Columbia, Canada), K.J. Reimer (Ontario, Canada) and W.R. Cullen (British Columbia, Canada). 1241
Determination of phenolic compounds in water using membrane inlet mass spectrometry
M. Ojala (VTT, University of Helsinki, Finland), R.A. Ketola, V. Virkki, H. Sorsa and T. Kotiaho (VTT, Finland) 1253
Determination of equilibrium states in multi-phase systems
J. Chojnacki (Gdańsk, Poland). 1261
Protonation equilibria of quinolone antibacterials in acetonitrile–water mobile phases used in LC
J. Barbosa, R. Bergés, I. Toro and V. Sanz-Nebot (Barcelona, Spain) 1271
Liquid–liquid extraction separation of iron (III) with 2-ethyl hexyl phosphonic acid mono 2-ethyl hexyl ester
J. Jayachandran and P.M. Dhadke (Mumbai, India) 1285
Silver(I)-selective membrane electrodes based on sulfur-containing podands
S. Chung, W. Kim, S. Bae Park (Kimhae, South Korea), D. Yeon Kim and S. Sung Lee (Chinju, South Korea) 1291
A highly water-soluble disulfonated tetrazolium salt as a chromogenic indicator for NADH as well as cell viability
M. Ishiyama, Y. Miyazono, K. Sasamoto, Y. Ohkura and K. Ueno (Kumamoto, Japan) 1299
Solvent extraction, spectrophotometric and inductively coupled plasma atomic emission spectroscopic (ICP-AES) determination of lanthanum(III) with crown hydroxamic acid
Y.K. Agrawal and P. Shrivastav (Ahmedabad, India) 1307
A new preconcentration method for platinum and gold based on a macropore anion resin HHY-10A
C. Li, C. Chai, X. Yang, X. Hou and X. Mao (People's Republic of China; Beijing, Perople's Republic of China) 1313
A selective optical chemical sensor for *o*-nitrophenol based on fluorescence quenching of curcumin
Y. Wang, K.-M. Wang, G.-l. Shen and R.-Q. Yu (Changsha, People's Republic of China). 1319

Book reviews 1329

Announcement 1333

August

Fibre-optic pesticide biosensor based on covalently immobilized acetylcholinesterase and thymol blue
R.T. Andres and R. Narayanaswamy (Manchester, UK). 1335
Determination of enantiomeric excess using a chiral selective separation mode and polarimetric detection
R.G. Lodevico, D.R. Bobbitt (Fayetteville, AR, USA) and T.J. Edkins (Spring House, PA, USA) . . . 1353
Potentiometric and conductometric studies on the binary and mixed ligand complexes in solution: M^{II}-dipicolinic acid–glycine systems
M.M. Khalil, S.A. Mohamed and A.M. Radalla (Beni-Suef, Egypt) 1365

The separation of gold by selective extraction of $HAuBr_4$ using a poly(tetramethylene) ether glycol impregnated filter
R. Oleschuk and A. Chow (Winnipeg, MB, Canada) 1371
New method of gold-film electrode preparation for anodic stripping voltammetric determination of arsenic (III and V) in seawater
Y.-C. Sun, J. Mierzwa and M.-H. Yang (Hsinchu, Taiwan) 1379
Validation of the determination of copper and zinc in blood plasma and urine by ICP MS with cross-flow and direct injection nebulization
J. Szpunar (Talence, France), J. Bettmer (Münster, Germany), M. Robert (Bordeaux, France), H. Chassaigne (Talence, France), K. Cammann (Münster, Germany), R. Lobinski (Talence, France) and O.F.X. Donard (F 64 000 Pau, France) 1389
A photo-cured coated-wire calcium ion selective electrode for use in flow injection potentiometry
P.W. Alexander, T. Dimitrakopoulos (Tasmania, Australia) and D.B. Hibbert (Sydney, Australia) . . . 1397
Spectrophotometric determination of hydrogen peroxide by using the cleavage of Eriochrome black T in the presence of peroxidase
M. Zhu, X. Huang, L. Liu and H. Shen (Tianjin, People's Republic of China) 1407
Determination of carboxylic acid vapour by a thickness-sheer-mode acoustic wave sensor coated with crown ethers
C. Zhong, G. De, L. Zheng-Gang, L. Hui-Gai and Y. Ru-Qin (Changsha, People's Republic of China) 1413
Amberlite XAD resin solid-phase extraction coupled on-line to a flow injection approach for the rapid enrichment and determination of phenols in water and waste waters
W.-l. Song, Z.-l. Zhi and L.-s. Wang (Nanjing, People's Republic of China) 1423
Immobilization of uricase to gas diffusion carbon felt by electropolymerization of aniline and its application as an enzyme reactor for uric acid sensor
S. Uchiyama and H. Sakamoto (Saitama, Japan) 1435
Reproducibility of the nonlinear regression fit to the FTIR spectra of lysozyme
T.F. Kumosinski, J.J. Unruh and H.F. Farrell, Jr. (Wyndmoor, PA, USA) 1441
Preparation and analytical properties of a chelating resin functionalized with 1-hydrazinophthalazine ligand
R. Pathak and G.N. Rao (New Delhi, India) 1447
Steric effect of substituents on the extraction of lanthanoids(III) with *N*-*p*-(*n*-, *iso*- and *tert*-)butylbenzoyl-*N*-phenylhy-droxylamine
S. Inoue, Q. Zhang and M. Uto (Kitami, Japan) 1455
Analytical assessment of the oscillating chemical reactions by use chemiluminescence detection
R. Jiménez-Prieto, M. Silva and D. Pérez-Bendito (Córdoba, Spain) 1463
The spectrophotometric determination of trace molybdenum (VI) after collection and elution as molybdate ion on protonated chitin
S. Hoshi, K. Konuma, K. Sugawara, M. Uto and K. Akatsuka (Kitami-shi, Japan) 1473
Determination of enantiomeric purity by simultaneous dual circular dichroism and ultraviolet spectroscopy
P. Horváth, A. Gergely and B. Noszál (Budapest H, Hungary) 1479
Analysis of EDTA and DTPA
M. Sillanpää and M.-L. Sihvonen (Espoo, Finland) 1487

In Memoriam 1499

September

Special Issue: In Honour of George-Emil Baiulescu

Editorial vii

An analytical chemist of verve: George-Emil Baiulescu
J.D.R. Thomas (Wrexham, UK) 1501
How to understand the response mechanism of ion-selective electrodes
E. Pungor (Budapest, Hungary) 1505
Solids, flow systems and atomic spectroscopy
M. Valcárcel and M. Gallego (Córdoba, Spain) 1509
Drug impurity profiling strategies
S. Görög, M. Babják, G. Balogh, J. Brlik, A. Csehi, F. Dravecz, M. Gazdag, P. Horváth, A. Laukó and K. Varga (Budapest, Hungary) 1517
Amperometric monitoring of lactate accumulation in rabbit ischemic myocardium
S.A.M. Marzouk, V.V. Cosofret, R.P. Buck, H. Yang, W.E. Cascio (Chapel Hill, NC, USA) and S.S.M. Hassan (Cairo, Egypt) 1527
Calibration procedure for solid phase microextraction—gas chromatographic analysis of organic vapours in air
D. Gorlo, L. Wolska, B. Zygmunt and J. Namieśnik (Gdańsk, Poland) 1543
Utilization of standards generated in the process of thermal decomposition chemically modified silica gel for a single point calibration of a GC/FID system
M. Prokopowicz, E. Luboch, J. Namieśnik, J.F. Biernat (Gdańsk, Poland) and A. Przyjazny (Flint, MI, USA) 1551
Sequential injection wetting film extraction applied to the spectrophotometric determination of chromium(VI) and chromium(III) in water
Y. Luo, S. Nakano, D.A. Holman, J. Ruzicka and G.D. Christian (Seattle, WA, USA) 1563
Enzyme electrode for glucose determination in whole blood
T. Santoni, D. Santianni (Firenze, Italy), A. Manzoni, S. Zanardi (Milano, Italy) and M. Mascini (Firenze, Italy) 1573
Analytical methodology for speciation of arsenic in environmental and biological samples
M. Burguera and J.L. Burguera (Mérida, Venezuela) 1581
Determination of trace Ag, Au, Ge, Pb, Sn and Te by microwave plasma torch atomic emission spectrometry coupled with an electrothermal vaporization sample introduction system
Q. Jin, H. Zhang, W. Yang, Q. Jin and Y. Shi (Changchun, People's Republic of China) 1605
On-line preconcentration with activated carbon for microwave plasma torch atomic emission spectrometry
H. Zhang, X. Yuan, X. Zhao and Q. Jin (Changchun, People's Republic of China) 1615
Development of a diamine biosensor
C.X. Xu, S.A.M. Marzouk, V.V. Cosofret, R.P. Buck (Chapel Hill, NC, USA), M.R. Neuman (Cleveland, OH, USA) and R.H. Sprinkle (College Park, MD, USA) 1625
Determination of the rodenticides warfarin, diphenadione and chlorophacinone in soil samples by HPLC-DAD
A. Medvedovici (Gent, Belgium), F. David (Kortrijk, Belgium) and P. Sandra (Gent, Belgium) 1633
Carbonate ion selective electrodes with trifluoroacetophenone derivatives in potentiometric clinical analyser
M. Maj-Żurawska, T. Sokalski, J. Ostaszewska, D. Paradowski, J. Mieczkowski, Z. Czarnocki (ul. Pasteura, Poland), A. Lewenstam (Åbo (Turku), Finland; Cracow, Poland) and A. Hulanicki (ul. Pasteura, Poland) 1641
Size fractionation of metals in wine using ultrafiltration
A.J. McKinnon and G.R. Scollary (Parkville, Australia) 1649
Enzyme electrode probes obtained by electropolymerization of monomers with PMS and selected dehydrogenase enzymes
A. Curulli, I. Carelli, O. Trischitta and G. Palleschi (Rome, Italy) 1659
Metal-promoted shift of equilibrium between the two fluorescent forms of a synthetic macrocycloureide in view of designing chemical sensors
M. Dumaine-Bouaziz, D. Cordier and P.R. Coulet (Villeurbanne, France) 1671
A simple method for the trace determination of methanol, ethanol, acetone and pentane in human breath and in the ambient air by preconcentration on solid sorbents followed by gas chromatography
T. Qin, X. Xu (Beijing, People's Republic of China), T. Polák, V. Pacáková, K. Štulík (Prague, Czech Republic) and L. Jech (Vrané n/Vltavou, Czech Republic) 1683

A sensor for pH based on an optical reflective device coupled to the swelling of an aminated polystyrene membrane
L. Zhang (Durham, NH, USA), M.E. Langmuir, M. Bai (Woburn, MA, USA) and W.R. Seitz (Durham, NH, USA) 1691

October

Hexaacetato calix(6)arene as the novel extractant for palladium
V.J. Mathew and S.M. Khopkar (Bombay, India) 1699
On the behaviour of cysteine as ligand of cadmium(II)
E. Bottari and M.R. Festa (Roma, Italy). 1705
Liquid–liquid extraction of some lanthanide metal ions by polyoxyalkylene systems
A.M.Y. Jaber and A.-E. Al-Naser (Dhahran, Saudi Arabia) 1719
Effect of interfering ions on hexamethyldisiloxane microdiffusion method
R.W. Kahama, D.N. Kariuki and L.W. Njenga (Nairobi, Kenya) 1729
The effect of the ion exchanger site-counterion complex formation on the selectivities of ISEs
V.V. Egorov, N.D. Borisenko, E.M. Rakhman'ko, Y.F. Lushchik and S.S. Kacharsky (Minsk, Belarus) 1735
Spectrophotometric study of the charge transfer complexes of some pharmaceutical butyrophenones
H.F. Askal (Assiut, Egypt) 1749
Amplified potentiometric determination of pK_{00}, pK_0, pK_1, and pK_2 of hydrogen sulfides with Ag_2S ISE
Y.S. Su, K.L. Cheng and Y.C. Jean (Kansas City, MO, USA) 1757
Polarographic determination of diffusion coefficient values of In(III) in potassium chloride and nitrate supporting electrolytes
S. Kariuki and H.D. Dewald (Athens, OH, USA) 1765
Potentiometric study of reaction between tetrabutylammonium periodate and phenothiazine in chloroform; application to the analysis of phenothiazine derivatives
M.H. Pournaghi-Azar and K. Farhadi (Tabriz, Iran). 1773
Determination of abscisic acid by cathodic stripping square wave voltammetry
P. Hernández, M. Dabrio-Ramos, F. Patón, Y. Ballesteros and L. Hernández (Madrid, Spain) 1783
Spectrophotometric determination of iron with ferrozine by flow-injection analysis
M.I. Pascual-Reguera, I. Ortega-Carmona and A. Molina-Díaz (Jaén, Spain). 1793
Application of microemulsions in determination of chromium naphthenate in gasoline by flame atomic absorption spectroscopy
B. Du, Q. Wei, S. Wang (Jinan, People's Republic of China) and W. Yu (Lanzhou, People's Republic of China). 1803
Analysis of 2-ethylhexyl-*p*-methoxycinnamate in sunscreen products by HPLC and Raman spectroscopy
J. Cheng, Y.-S. Li, R.L. Roberts and G. Walker (Memphis, TN, USA). 1807
Chemometric alternatives for resolution of classical analytical problems: Spectrophotometric determination of lanthanide mixtures
P. Peralta-Zamora, L. Cornejo-Ponce, N. Nagata and R.J. Poppi (Campinas-SP, Brazil) 1815
Diagnosis of lung cancer based on metal contents in serum and hair using multivariate statistical methods
Y. Ren, Z. Zhang (Changchun, People's Republic of China), Y. Ren (Baicheng, People's Republic of China), W. Li, M. Wang and G. Xu (Changchun, People's Republic of China) 1823
Spectrophotometric studies and application on the β-type complex of Y-CPApK
Y. Ru (Shanghai, People's Republic of China), L. Yan, W. Wenyan (Shandong, People's Republic of China) and P. Jiaomai (Shanghai, People's Republic of China) 1833
Thermodynamic parameters for the formation of dimeric hydrolytic species of copper(II) in aqueous $NaClO_4$ solution at different ionic strengths
A. De Robertis, C. De Stefano, C. Foti and G. Signorino (Messina (Vill. S. Agata), Italy) 1839

Determination of ion-selective electrode characteristics by non-linear curve fitting
P. Kane and D. Diamond (Dublin, Ireland) 1847
Differential pulse polarographic determination of dicrotophos, crotoxyphos and chlorfenvinphos in grains and soils
N.Y. Sreedhar, P. Rajendra Kumar Reddy, G.V. Subba Reddy and S.J. Reddy (Tirupati, India) 1859
Extraction of uranium from aqueous solution by phosphonic acid-imbedded polyurethane foam
S. Katragadda, H.D. Gesser and A. Chow (Winnipeg, MB, Canada) 1865
Application of HPLC capacity coefficients to characterize the sorption of polycyclic aromatic compounds to humic acid
T. Nielsen, C. Helweg (Roskilde, Denmark), K. Siigur (Roskilde, Denmark; Tallinn, Estonia) and U. Kirso (Tallinn, Estonia) 1873
Simultaneous determination of ampicillin and tetracycline in milk by using a stopped-flow/T-format spectrofluorimeter
B. Gala, A. Gómez-Hens and D. Pérez-Bendito (Córdoba, Spain) 1883
Determination of formation constants of hydroxo and carbonate complexes of Pr^{3+} in 2 M NaCl at 303 K
H. López-González, M. Jiménez-Reyes, A. Rojas-Hernández and M. Solache-Ríos (Mexico, DF, Mexico) 1891
Spectroscopic identification and quantitative analysis of binary mixtures using artificial neural networks
M.L. Ganadu, G. Lubinu, A. Tilocca and S.R. Amendolia (Sassari, Italy) 1901
Gas chromatographic determination of pollutants in the chlorination and caustic extraction stage effluent from the bleaching of a bamboo pulp
C. Sharma, S. Mahanty, S. Kumar and N.J. Rao (Saharanpur, India). 1911

Short communications
Investigation of performance enhancement of flame photometric signal using a cylindrical impactor in the spray chamber
L. Kékedy-Nagy (RO, Romania) 1919
Simultaneous voltammetric determination of uric and ascorbic acids in urine
E.M. Strochkova, Y.I. Tur'yan, I. Kuselman and A. Shenhar (Jerusalem, Israel). 1923

November

Sol–gel carbon composite electrode as an amperometric detector for liquid chromatography
P.V.A. Pamidi, C. Parrado, S.A. Kane, J. Wang (Las Cruces, NM, USA), M.R. Smyth (Dublin, Ireland) and J. Pingarrón (Madrid, Spain) 1929
Potentiometric determination of stability constants of Lanthanon(III) complexes with some Schiff bases and benzothiazolines
P. Gürkan and N. Sarı (Ankara, Turkey) 1935
Investigation of arsine-generating reactions using deuterium-labeled reagents and mass spectrometry
S.A. Pergantis, W. Winnik, E.M. Heithmar and W.R. Cullen (Las Vegas, Nevada, USA) 1941
Spectrophotometric determination of trace water in organic solvents with a near infrared absorbing dye
M. Li and G.E. Pacey (Oxford, OH, USA) 1949
Simultaneous determination of mebendazole and pyrantel pamoate from tablets by high performance liquid chromatography–reverse phase (RP-HPLC)
A.P. Argekar, S.V. Raj and S.U. Kapadia (Mumbai, India). 1959
Complexant efficiency of 2′-hydroxy-4-R-chalcones for Aluminium (III) and substituent's effect
N.B. Debattista and N.B. Pappano (San Luis, Argentina) 1967

Analytical properties of 5,5-dimetyl 1,3-cyclohexanedione dithiosemicarbazone monohydrochloride; spectrophotometric determination of chromium(VI) in alloy steels and industrial effluents
C.S. Devaragudi and K. Hussain Reddy (Anantapur, India) 1973
Direct determination of cadmium at parts-per-billion level in waters by derivative atomic absorption spectrometry using atom trapping technique
H. Sun, L. Yang, D. Zhang and J. Sun (Baoding, People's Republic of China) 1979
DC arc vaporization as a sample introduction technique for analysis of solids by ICP-OES
D.A. Rusak, R.L. Litteral, B.W. Smith and J.D. Winefordner (Gainesville, FL, USA) 1987
The study for optimization of chromatographic condition by means of artificial neural networks
W. Guo, P. Zhu (Hangzhou, People's Republic of China) and H. Brodowsky (Kiel, Germany) 1995
Electrochemical biosensor for detecting DNA sequences from the pathogenic protozoan *Cryptosporidium parvum*
J. Wang, G. Rivas, C. Parrado, X. Cai and M.N. Flair (NM, USA) 2003
Investigation and comparison of the electrochemical behavior of some organic and biological molecules at various conducting polymer electrodes
G. Erdoğdu and A.E. Karagözler (Malatya, Turkey) 2011
Extraction behavior of divalent first row transition metal ions with *N*,*N*′-bis(2-hydroxyphenylmethyl)-*N*,*N*′-bis(2-pyridylmethyl)-1,2-ethanediamine and its derivatives
N. Hirayama, N. Ichitani (Kanazawa, Japan), K. Kubono (Kashiwara, Japan), Y. Matsuoka, H. Kokusen (Koganei, Japan) and T. Honjo (Kanazawa, Japan) 2019
Investigation of suitable digestion methods for the determination of total phosphorus in soils
D. Kara (Balikesir, Turkey), C. Özsavaşçi (Ankara, Turkey) and M. Alkan (Balikesir, Turkey) 2027
Identification of combustible material with piezoelectric crystal sensor array using pattern–recognition techniques
X.-W. He, W.-L. Xing and Y.-H. Fang (Tianjin, People's Republic of China) 2033
Rapid automated in-situ monitoring of total dissolved iron and total dissolved manganese in underground water by reverse-flow injection with chemiluminescence detection during the process of water treatment
Y. Zhou and G. Zhu (Changchun, People's Republic of China) 2041
Spectrophotometric determination of enzymatically generated hydrogen peroxide using Sol-Gel immobilized horseradish peroxidase
F.A. El-Essi, A.Z. Abu Zuhri, S.I. Al-Khalil (Nablus, Palestine) and M.S. Abdel-Latif (Gaza, Palestinian Authority, Israel) 2051
Protonation and silver(I) complex-formation equilibria of some amino-alcohols
S. Canepari, V. Carunchio, P. Castellano and A. Messina (Rome, Italy) 2059
In-situ FTIR spectroelectrochemical investigation of cobalt(II)-cyanoferrate polymeric film coated on a glassy carbon electrode
H.-Q. Zhang and X.-Q. Lin (Changchun, People's Republic of China) 2069
Fourier transform infrared spectroscopic determination of cypermethrin and deltamethrin in emulsifiable concentrate formulations
K.K. Sharma, S. Gupta and S.K. Handa (New Delhi, India) 2075
An automatic photometric method with high precision by gradually diluting a sample
A. Tan and C. Xiao (Changsha, People's Republic of China) 2081
Accurate values of stability constant of Ca^{2+}-murexide complex
T. Kumar Khan and P. Gupta-Bhaya (Kanpur, India) 2087
Recovery of plutonium and americium from laboratory acidic waste solutions using tri-*n*-octylamine and octylphenyl-*N*-*N*-diisobutylcarbamoylmethylphosphine oxide
K.M. Michael, G.H. Rizvi, J.N. Mathur, S.C. Kapoor, A. Ramanujam and R.H. Iyer (Bombay, India) . . 2095
The determination of wear metals in used lubricating oils by flame atomic absorption spectrometry using sulphanilic acid as ashing agent
E.J. Ekanem, J.A. Lori and S.A. Thomas (Zaria, Nigeria) 2103
Coordination properties of cefadroxil antibiotic: synthesis and equilibrium studies of the binary and ternary complexes involving amino acids and DNA units
M.M. Shoukry, W.M. Hosny, A. Abd Razik and R.A. Mohamed (Giza, Egypt) 2109

Determination of ammonium in Kjeldahl digests by gas-diffusion flow-injection analysis with a bulk acoustic wave-impedance sensor
X.-L. Su, L.-H. Nie and S.-Z. Yao (Changsha, People's Republic of China) 2121
Enhanced spectrophotometric determination of chromium (VI) with diphenylcarbazide using internal standard and derivative spectrophotometry
K. Wróbel, K. Wróbel, P.L. López-de-Alba and L. López-Martínez (Guanajuato, Mexico). 2129
Microextraction of volatile organic compounds using the inside needle capillary adsorption trap (INCAT) device
M.E. McComb, R.D. Oleschuk, E. Giller and H.D. Gesser (Winnipeg, MB, Canada). 2137
Liquid–liquid distribution of ion associates of tetrabromoindate(III) with quaternary ammonium counter ions
K. Yamamoto and A. Matsumoto (Tottori, Japan). 2145
Amperometric detection of uric acid and hypoxanthine with Xanthine oxidase immobilized and carbon based screen-printed electrode. Application for fish freshness determination
M.-A. Carsol (Firenze, Italy), G. Volpe (Roma, Italy) and M. Mascini (Firenze, Italy) 2151

Announcements 2161
Erratum. 2165

December

Papers presented at the 4th Symposium on Analytical Sciences, Brussels, June 3–5, 1996

A review of the main factors influencing the FT-IR-PLS abilities exemplified with petrochemical qualimetric applications
J.M. Andrade, M.V. Garcia, P. Lopez-Mahia and D. Prada (A Coruña, Spain) 2167
Determination and fractionation of sulphur in a contaminated dredged sediment
F.M. Tack, F. Lapauw and M.G. Verloo (Gent, Belgium). 2185
Fluorimetric properties of a 2-hydroxypropyl-β-cyclodextrin: 9-methyl-benzo[*a*]phenothiazine inclusion complex in aqueous media. Analytical usefulness
M. Maafi (Paris, France), M.C. Mahedero (Badajoz, Spain) and J.-J. Aaron (Paris, France). 2193
Multielemental speciation of As, Se, Sb and Te by HPLC-ICP-MS
T. Guerin, M. Astruc (Pau, France), A. Batel and M. Borsier (Orléans, France). 2201
Improvement of poly(amphiphilic pyrrole) enzyme electrodes via the incorporation of synthetic laponite-clay-nanoparticles
J.-L. Besombes, S. Cosnier and P. Labbé (Grenoble, France) 2209
Analysis of volatiles emitted by potato plants by means of a Colorado beetle electroantennographic detector
B. Weißbecker, S. Schütz, A. Klein and H.E. Hummel (Gießen, Germany) 2217
Newly designed flow field-flow fractionation channel for macromolecules and particles in the submicrometer and micrometer range
R.A. Zahoransky (Offenburg, Germany), H. Dummin, E. Laile (Todtnau, Germany) and T. Schauer (Stuttgart, Germany) 2225
Multicomponent analysis in luminescence spectroscopy
M. Dalibart (Talence, France) 2231
Application of an artificial neural network (ANN) and piezoelectric chemical sensor array for identification of volatile organic compounds
G. Barkó and J. Hlavay (Veszprém, Hungary) 2237

Volume Contents, Author Index and Subject Index, Vol. 44, 1997. III